

Fișă tehnică produs

Specificatii

Capac pentru Baterie Xvb, Negru, Ip 65



XVBC081

! Fabricatie intrerupta la data de: 5 nov. 2024

! Finalul ciclului de service: 31 dec. 2025

! Va fi retras de la comercializare

Principale

gama de produse	Harmony XVB
denumire accesorii/piese separate	Capac superior
tip de accesorii / piese separate	Capac
Tip produs sau componenta	Capac
categorii accesorii / piese de schimb	Accesorii de protectie
Compatibilitate produs	XVBC5. XVBC2. XVBC4. XVBC9. XVBC3.
destinatie accesorii/piese separate	Baterie de indicatoare Ø 70 mm

Suplimentare

greutate produs	0,03 kg
-----------------	---------

Unitati de ambalare

Unitate de masura pentru prima forma de impachetare	PCE
Numar unitati in prima forma de impachetare	1
Inaltime prima forma de impachetare	2,4 cm
Latime prima forma de impachetare	7,6 cm
Lungime prima forma de impachetare	7,6 cm
Greutate prima forma de impachetare	33,0 g
Unitate de masura pentru a doua forma de impachetare	S01
Numar unitati in a doua forma de impachetare	20
Inaltime a doua forma de impachetare	15,0 cm
Latime a doua forma de impachetare	15,0 cm
Lungime a doua forma de impachetare	40,0 cm
Greutate a doua forma de impachetare	870,0 g

Garanție contractuală

Garantie	18 months
----------	-----------

Declinare de responsabilitate: Această documentație nu se substituie și nu trebuie utilizată pentru stabilirea adecvării sau fiabilității acestor produse pentru aplicații utilizator

Environmental Data

Schneider Electric isi propune sa atinga nivelul Net Zero pana in 2050 prin parteneriate la nivelul lantului de aprovizionare, materiale cu impact mai redus si circularitate, prin campania „Use Better, Use Longer, Use Again” pentru a extinde durata de viata a produselor si reciclabilitatea.

Environmental Data explicate >

Cum evaluam sustenabilitatea produselor >

🔄 Amprenta de mediu	
Amprenta de carbon (kg CO2 eq.)	1
Use Better	
📦 Materiale si ambalare	
Ambalaj fara plastic	Nu
Directiva RoHS UE	Conformitate proactiva (Produs in afara domeniului de aplicare a EU RoHS)
Numar SCIP	124e2d7a-5b1e-45ca-b93c-220dd91b55b6
Regulamentul REACH	Declaratia REACH
Use Again	
🔄 Reambalare si refabricare	
Profil circularitate	Nu sunt necesare operatii de reciclare speciale
Preluare la sfarsitul duratei de viata	No

Offer Marketing Illustration

Product benefits / Features



Offer Marketing Illustration

Product benefits / Features

Features

Harmony XVB



3 types of light source:
10-Watt incandescent bulb,
built-in high-efficiency
LEDs, 5 and 10-joule
discharge tube



100,000 hours of
maintenance-free lighting
thanks to "LED Protected"
technology



Connector with
removable base, axial,
or side cable entry,
immediate assembly, and
fixing using a locking ring



High degree of protection
(IP66) and Shock
resistance (IK05)



Fully flexible and interchangeable
construction of up to 5 lens units
(six colors of light lens unit)



Image of product / Alternate images

Alternative







Image of product in real life situation

