

US-WMT (15X4) YE - Cable marker

0828954

<https://www.phoenixcontact.com/ro/produse/0828954>

Vă rugăm să țineți cont de faptul că datele afișate în acest document PDF au fost generate din catalogul nostru online. Datele complete sunt disponibile în documentația pentru utilizator. În cazul descărcărilor, se aplică Termenii și condițiile generale de utilizare ale companiei noastre.

Cable marker, Card, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 0.6 ... 50 mm, lettering field size: 15 x 4 mm, Number of individual labels: 84



Avantajele dumneavoastră

- The US-WMT ... UniSheet labeling range includes markers for conductor marking with marking collars from the PATG/PATO ... system
- Labeling service: Phoenix Contact can custom-label all UniSheet markers according to your requirements

Date comerciale

Număr articol	0828954
Unitate de ambalare	10 Bucată
Cantitate minimă pentru comandă	10 Bucată
Cod produs	BG2219
Pagina de catalog	Pagina 212 (C-3-2019)
GTIN	4046356559805
Greutate pe bucată (inclusiv ambalajul)	11,93 g
Greutate pe bucată (fără ambalaj)	11,8 g
Cod tarifar vamal	39204910
Țara de origine	DE

US-WMT (15X4) YE - Cable marker



0828954

<https://www.phoenixcontact.com/ro/produse/0828954>

Date tehnice

Product properties

Product type	Conductor marking
--------------	-------------------

Data management status

Article revision	02
------------------	----

Marking

Number of individual labels	84
Number of individual labels per row	14

Dimensions

Width	4.3 mm
Text field width	15.00 mm
Text field height	4.00 mm
Depth	0.5 mm
Length	15 mm
Material strength	0.50 mm

Material specifications

Color	yellow
Material	PVC
Flammability rating according to UL 94	V0
Components	Silicone-free

Cable/line

External cable diameter	0.6 mm ... 50 mm
-------------------------	------------------

Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish

Result	Test passed
--------	-------------

UV resistance

Specification	ISO 4892-2:2013-03 (following)
Result	Test passed
Test duration	96 h

Wipe resistance of inscriptions

Specification	DIN EN 61010-1 (VDE 0411-1):2011-07
	DIN EN 62208 (VDE 0660-511):2012-06 (in parts)
Isopropyl [CAS No. 67-63-0]	Test passed
n-Hexane [CAS No. 110-54-3]	Test passed

US-WMT (15X4) YE - Cable marker



0828954

<https://www.phoenixcontact.com/ro/produse/0828954>

Water + Petroleum ether [CAS No. 64742-82-1]	Test passed
-------------------------------------------------	-------------

Testing in a condensation changing climate in the presence of sulfur dioxide

Specification	DIN 50018:2013-05 (following)
Result	Test passed
Climate level	AHT 1.0 S
Cycles	2

Salt spray test

Specification	DIN EN 60068-2-11:2000-02
Result	Test passed

Ambient conditions

Ambient temperature (operation)	-30 °C ... 80 °C
Recommended storage conditions	10 ... 30 °C / 40 ... 70 % relative humidity. Storage in the original packaging is recommended prior to processing.
Recommended ambient temperature (storage/transport)	10 °C ... 30 °C
Recommended humidity (storage/transport)	40 % ... 70 %

Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

Mounting

Mounting type	slide-on
---------------	----------

US-WMT (15X4) YE - Cable marker



0828954

<https://www.phoenixcontact.com/ro/produse/0828954>

Clasificări

ECLASS

ECLASS-11.0	27281106
ECLASS-12.0	27281106
ECLASS-13.0	27281106

ETIM

ETIM 9.0	EC001530
----------	----------

UNSPSC

UNSPSC 21.0	39131700
-------------	----------

US-WMT (15X4) YE - Cable marker



0828954

<https://www.phoenixcontact.com/ro/produse/0828954>

Environmental product compliance

EU RoHS

Îndeplinește cerințele conform directivei RoHS

Da, Nicio reglementare privind excepțiile

EU REACH SVHC

Trimitere la substanța candidată REACH (nr. CAS)

Nicio substanță cu un procentaj masic mai mare de 0,1 %

US-WMT (15X4) YE - Cable marker

0828954

<https://www.phoenixcontact.com/ro/produse/0828954>



Accesorii

THERMOMARK CARD 2.0 - Thermal transfer printer

1085267

<https://www.phoenixcontact.com/ro/produse/1085267>



Thermal transfer printer for card materials, including Euro/US power cable and USB cable. User manual printed in German and English. Magazine for UCT-TM.. sheets and magazines for US-... cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon = 50 m

THERMOMARK PRIME 2.0 - Thermal transfer printer

1472405

<https://www.phoenixcontact.com/ro/produse/1472405>



Thermal transfer printer for printing card materials with a print resolution of 300 dpi. Suitable for stationary as well as mobile use thanks a 7" color touch display with integrated "MARKING system app" and a replaceable battery pack.

US-WMT (15X4) YE - Cable marker

0828954

<https://www.phoenixcontact.com/ro/produce/0828954>



BLUEMARK ID - Printer

1003334

<https://www.phoenixcontact.com/ro/produce/1003334>



Monochrome printer with UV inkjet technology and integrated "MARKING system app" identification software. 7" touch color display for printing plastic labels in UC, UCT, US, and UM format, as well as metal labels.

BLUEMARK ID COLOR - Printer

1002329

<https://www.phoenixcontact.com/ro/produce/1002329>



CMYK multicolor printer with UV inkjet technology, with integrated "MARKING system app" identification software, 7" touch color display for printing plastic labels in UC, UCT, and UM format, as well as metal labels.

US-WMT (15X4) YE - Cable marker

0828954

<https://www.phoenixcontact.com/ro/produce/0828954>



THERMOMARK-RIBBON 110/50-TC - Ink ribbon

0801384

<https://www.phoenixcontact.com/ro/produce/0801384>



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., length: 50 m, roll length: 50 m, width: 110 mm, color: black

THERMOMARK-RIBBON 110-TC - Ink ribbon

0801371

<https://www.phoenixcontact.com/ro/produce/0801371>



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., length: 300 m, roll length: 300 m, width: 110 mm, color: black

US-WMT (15X4) YE - Cable marker

0828954

<https://www.phoenixcontact.com/ro/produce/0828954>



TMP-RIBBON 110 BK 100 - Ink ribbon cartridge

0803374

<https://www.phoenixcontact.com/ro/produce/0803374>



Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups UCT. ..., US..., and UM..., length: 70 m, roll length: 70 m, width: 110 mm, color: black

TMP-RIBBON 110 BK 101 - Ink ribbon cartridge

0803714

<https://www.phoenixcontact.com/ro/produce/0803714>



Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)..., US-TM(F)L..., US-WMTB..., US-EML..., US-EML(S)P..., US-EMLP-HA..., US-EM(S)P..., US-EML-RS..., length: 60 m, roll length: 60 m, width: 110 mm, color: black

US-WMT (15X4) YE - Cable marker

0828954

<https://www.phoenixcontact.com/ro/produce/0828954>



TMP-RIBBON 110 BU 100 - Ink ribbon cartridge

0803378

<https://www.phoenixcontact.com/ro/produce/0803378>



Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)...., US-TM(F)L...., US-WMTB...., US-EML...., US-EML(S)P...., US-EMLP-HA...., US-EM(S)P...., US-EML-RS...., length: 60 m, roll length: 60 m, width: 110 mm, color: blue

TMP-RIBBON 110 GN 100 - Ink ribbon cartridge

0803380

<https://www.phoenixcontact.com/ro/produce/0803380>



Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)...., US-TM(F)L...., US-WMTB...., US-EML...., US-EML(S)P...., US-EMLP-HA...., US-EM(S)P...., US-EML-RS...., length: 60 m, roll length: 60 m, width: 110 mm, color: green

US-WMT (15X4) YE - Cable marker

0828954

<https://www.phoenixcontact.com/ro/produce/0828954>



TMP-RIBBON 110 RD 100 - Ink ribbon cartridge

0803377

<https://www.phoenixcontact.com/ro/produce/0803377>



Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)..., US-TM(F)L..., US-WMTB..., US-EML..., US-EML(S)P..., US-EMLP-HA..., US-EM(S)P..., US-EML-RS..., length: 60 m, roll length: 60 m, width: 110 mm, color: red

TMP-RIBBON 110 WH 100 - Ink ribbon cartridge

0803376

<https://www.phoenixcontact.com/ro/produce/0803376>



Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)..., US-TM(F)L..., US-WMT(B)..., US-EML(F)..., US-EML(S)P..., US-EMLP-HA..., US-EM(S)P..., US-EML-RS..., US-PML..., length: 60 m, roll length: 60 m, width: 110 mm, color: white

US-WMT (15X4) YE - Cable marker

0828954

<https://www.phoenixcontact.com/ro/produce/0828954>



BM ID-CARTR. BK - Ink cartridge

1044345

<https://www.phoenixcontact.com/ro/produce/1044345>



Replacement UV fluid, 23 ml, color: black

BM ID-CARTR. CY - Ink cartridge

1044346

<https://www.phoenixcontact.com/ro/produce/1044346>



Replacement UV fluid, 23 ml, color: cyan

US-WMT (15X4) YE - Cable marker

0828954

<https://www.phoenixcontact.com/ro/produce/0828954>



BM ID-CARTR. MA - Ink cartridge

1044347

<https://www.phoenixcontact.com/ro/produce/1044347>



Replacement UV fluid, 23 ml, color: magenta

BM ID-CARTR. YE - Ink cartridge

1044348

<https://www.phoenixcontact.com/ro/produce/1044348>



Replacement UV fluid, 23 ml, color: yellow

US-WMT (15X4) YE - Cable marker

0828954

<https://www.phoenixcontact.com/ro/produce/0828954>



TMP-US-MAG1 - Magazine

0803341

<https://www.phoenixcontact.com/ro/produce/0803341>

Magazine, For THERMOMARK CARD and THERMOMARK PRIME, for accommodating US cards, length: 0.166 m, width: 114 mm, height: 10 mm



BM ID-ADAPTER PLATE-US - Magazine

1044355

<https://www.phoenixcontact.com/ro/produce/1044355>

Adapter plate for accommodating US sheets



US-WMT (15X4) YE - Cable marker

0828954

<https://www.phoenixcontact.com/ro/produce/0828954>



PAB-SK 15 - Marker carriers

1013287

<https://www.phoenixcontact.com/ro/produce/1013287>

Marker carriers, transparent, unlabeled, mounting type: adhesive, lettering field size: 15 x 4 mm



PATG 0/15 - Conductor marker carrier

1013740

<https://www.phoenixcontact.com/ro/produce/1013740>

Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 0.6 ... 1.2 mm, lettering field size: 15 x 4 mm



US-WMT (15X4) YE - Cable marker

0828954

<https://www.phoenixcontact.com/ro/produse/0828954>

PATG 1/15 - Conductor marker carrier

1013025

<https://www.phoenixcontact.com/ro/produse/1013025>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 1.5 ... 2.5 mm, lettering field size: 15 x 4 mm

PATG 2/15 - Conductor marker carrier

1013038

<https://www.phoenixcontact.com/ro/produse/1013038>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 2 ... 4 mm, lettering field size: 15 x 4 mm

US-WMT (15X4) YE - Cable marker

0828954

<https://www.phoenixcontact.com/ro/produce/0828954>



PATG 3/15 - Conductor marker carrier

1013041

<https://www.phoenixcontact.com/ro/produce/1013041>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 4 ... 7 mm, lettering field size: 15 x 4 mm

PATG 4/15 - Conductor marker carrier

1013054

<https://www.phoenixcontact.com/ro/produce/1013054>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 6 ... 10 mm, lettering field size: 15 x 4 mm

US-WMT (15X4) YE - Cable marker

0828954

<https://www.phoenixcontact.com/ro/produce/0828954>



PATG 5/15 - Conductor marker carrier

1013067

<https://www.phoenixcontact.com/ro/produce/1013067>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 10 ... 14 mm, lettering field size: 15 x 4 mm

PATG 6/15 - Conductor marker carrier

1013070

<https://www.phoenixcontact.com/ro/produce/1013070>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 14 ... 22 mm, lettering field size: 15 x 4 mm

US-WMT (15X4) YE - Cable marker

0828954

<https://www.phoenixcontact.com/ro/produce/0828954>



PATG 7/15 - Conductor marker carrier

1013083

<https://www.phoenixcontact.com/ro/produce/1013083>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 22 ... 30 mm, lettering field size: 15 x 4 mm

PATG 8/15 - Conductor marker carrier

1013096

<https://www.phoenixcontact.com/ro/produce/1013096>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 30 ... 35 mm, lettering field size: 15 x 4 mm

US-WMT (15X4) YE - Cable marker

0828954

<https://www.phoenixcontact.com/ro/produce/0828954>



PATO 1/15 - Conductor marker carrier

1013119

<https://www.phoenixcontact.com/ro/produce/1013119>



Conductor marker carrier, transparent, unlabeled, mounting type: clip on, cable diameter range: 2 ... 3.5 mm, lettering field size: 4 x 15 mm

PATO 2/15 - Conductor marker carrier

1013122

<https://www.phoenixcontact.com/ro/produce/1013122>



Conductor marker carrier, transparent, unlabeled, mounting type: clip on, cable diameter range: 2.8 ... 4.4 mm, lettering field size: 4 x 15 mm

US-WMT (15X4) YE - Cable marker

0828954

<https://www.phoenixcontact.com/ro/produce/0828954>



PATO 3/15 - Conductor marker carrier

1013135

<https://www.phoenixcontact.com/ro/produce/1013135>



Conductor marker carrier, transparent, unlabeled, mounting type: clip on, cable diameter range: 4.4 ... 6.7 mm, lettering field size: 4 x 15 mm

PATO 4/15 - Conductor marker carrier

1013148

<https://www.phoenixcontact.com/ro/produce/1013148>



Conductor marker carrier, transparent, unlabeled, mounting type: clip on, cable diameter range: 6.7 ... 10 mm, lettering field size: 4 x 15 mm

US-WMT (15X4) YE - Cable marker

0828954

<https://www.phoenixcontact.com/ro/produce/0828954>



THERMOMARK CARD - Thermal transfer printer

5146464

<https://www.phoenixcontact.com/ro/produce/5146464>

Thermal transfer printer for cards



THERMOMARK PRIME - Thermal transfer printer

5148888

<https://www.phoenixcontact.com/ro/produce/5148888>



Mobile thermal transfer printer for card materials, including power supply unit, Euro/US power cable, and USB cable. User manual printed in German and English. Magazine for UCT-TM... sheets and magazine for US-... cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon cartridge = 70 m

US-WMT (15X4) YE - Cable marker

0828954

<https://www.phoenixcontact.com/ro/produce/0828954>



BLUEMARK CLED - Printer

5147999

<https://www.phoenixcontact.com/ro/produce/5147999>



Printers with LED-UV technology for printing plastic labels in UniCard format.

THERMOMARK CARD-US-MAG1 - Magazine

5146451

<https://www.phoenixcontact.com/ro/produce/5146451>

Magazine for the THERMOMARK CARD printer, for accommodating US cards



Phoenix Contact 2024 © - Toate drepturile rezervate
<https://www.phoenixcontact.com>

PHOENIX CONTACT România
Splaiul Unirii 165 Timpuri Noi Square TNO1, Etaj 1
Bucuresti 030133
+40 21 350 88 12 - 3
sales.ro@phoenixcontact.com